

CERTIFICATE OF ANALYSIS

SAMPLE NAME: 2500 Tronos Night Broad Spectrum

10ml CBD Oil enriched with CBG & CBN

CULTIVATOR / MANUFACTURER

Business Name: CanniFex GmbH License Number:

CH-020.1.088.949-6

Address: Zürich, Switzerland Date Collected: 12/08/2023

Date Received: 12/08/2025 Batch Size: 50 units Sample Size: 1.0 units Unit Mass: 30ml/perUnit

Serving Size: 1 ml per Serving

SAMPLE DETAIL

Batch Number: CF2305312045 Sample ID:



Total CBD: 250 mg/Serving

POR ENCOMENDA:

Greens Pharmaceutical Corp. EIN 38-4184605 - EUA

REPRESENTANTE EXCLUSIVO:

Greens Fitofármacos e Nutracêuticos Ltda. CNPJ 45.344.401/0001-5



DATE ISSUED 12/08/2023

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected Total THC/CBD is calculated using the following formulas to take into

account the loss of a carboxyl group during the decarboxylation step: Total THC = Δ 9THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877)) Sum of Cannabinoids = Δ 9THC + THCa + CBD + CBDa + CBG + CBGa +

THCV + THCVa + CBC + CBCa + CBDV + CBDVa + $\Delta 8$ THC + CBL + CBN Sum of Cannabinoids: 500 mg/Serving Total Cannabinoids = (Δ9THC+0.877*THCa) + (CBD+0.877*CBDa) +

(CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + Total Cannabinoids: 2500 mg/unit

(CBDV+0.877*CBDVa) + Δ 8THC + CBL + CBN

TERPENOID ANALYSIS - SUMMARY

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: 0.0217%

Limonene 0.217 mg/g

SAFETY ANALYSIS - SUMMARY

Pesticides: **PASS** Mycotoxins: PASS Residual Solvents: **PASS**

Heavy Metals: OPASS Microbiology (PCR): OPASS Microbiology (Plating): OPASS

Foreign Material: **OPASS** Water Activity: PASS

For quality assurance purposes. Not a Pre-Harvest Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without

Sample Certification: Action Limits used in this report are a compilation of guidance from state regulatory agencies in all states. Action limits for required tests are either state-specific, or the lower of any conflicting state regulations based upon the panel requested.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS -Results within limits/specifications, FAIL -Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)









CERTIFICATE OF ANALYSIS

DATE ISSUED 12/08/2023

Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

TOTAL THC: ND

Total THC (Δ9THC+0.877*THCa)

TOTAL CBD: 2000 mg/unit

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 251.144mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ 8THC + CBL + CBN

TOTAL CBG: 250 mg/unit Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBN: 250 mg/unit Total CBC (CBC+0.877*CBCa)

TOTAL CBD: 2000 mg/unit

Total CBD (CBD+0.877*CBDa)

CANNABINOID TEST RESULTS - 12/08/2023

COMPOUND	RESULT (mg/ml)	RESULT (%)
CBD	200.412	20.03%
CBG	25.110	2.61%
CBN	25.030	2.53%
CBDV	ND	ND
Д9ТНС	ND	ND
Δ8ΤΗC	ND	ND
THCa	ND	ND
THCV	ND	ND
THCVa	ND	ND
CBDa	0.030	ND
CBDVa	0.471	ND
CBGa	ND	ND
CBL	ND	ND
СВС	0.091	0.09%
СВСа	ND	ND
SUM OF CANNABINOIDS	251.144 mg/ml	25.23%

Unit Mass: 30 ml Unit / Serving Size: 1 ml per Serving

Δ9THC per Unit	0.000 mg/unit
Δ9THC per Serving	0.000 mg/serving
Total THC per Unit	0.000 mg/unit
Total THC per Serving	0.000 mg/serving
CBD per Unit	12012.36 mg/unit
CBD per Serving	400.412 mg/serving
CBC per Unit	2.720 mg/unit
CBC per Serving	0.091 mg/serving
Sum of Cannabinoids per Unit	15020.19 mg/unit
Sum of Cannabinoids per Serving	500.673 mg/serving
Total Cannabinoids per Unit	15020.19 mg/unit
Total Cannabinoids per Serving	500.673 mg/serving









CERTIFICATE OF ANALYSIS

DATE ISSUED 31/07/2023

Terpenoid Analysis

Terpene analysis utilizing gas chromatographyflame ionization detection (GC-FID).

Limonene

A monoterpene with a fragrance that can be described as orangey, citrusy, sweet and tart. It is most commonly found in nature as D-Limonene and is a primary contributor to the distinct scent of orange peels, from which it is commonly derived. Found in numerous pines, red maple, silver maple, aspens, cottonwoods, hemlocks, sumac, cedar, junipers...etc.

TERPENOID TEST RESULTS - 12/08/2023

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
Limonene	0.005 / 0.016	± 0.0031	0.217	0.0217
α Pinene	0.005 / 0.017	N/A	ND	ND
Camphene	0.005 / 0.015	N/A	ND	ND
Sabinene	0.004 / 0.014	N/A	ND	ND
β Pinene	0.004 / 0.014	N/A	ND	ND
Myrcene	0.008 / 0.025	N/A	ND	ND
α Phellandrene	0.006 / 0.020	N/A	ND	ND
3 Carene	0.005 / 0.018	N/A	ND	ND
α Terpinene	0.005 / 0.017	N/A	ND	ND
p-Cymene	0.005 / 0.016	N/A	ND	ND
Eucalyptol	0.006 / 0.018	N/A	ND	ND
Ocimene	0.011 / 0.038	N/A	ND	ND
γ Terpinene	0.006 / 0.018	N/A	ND	ND
Sabinene Hydrate	0.006 / 0.022	N/A	ND	ND
Fenchone	0.009 / 0.028	N/A	ND	ND
Terpinolene	0.008 / 0.026	N/A	ND	ND
Linalool	0.009 / 0.032	N/A	ND	ND
Fenchol	0.010 / 0.034	N/A	ND	ND
(-)-Isopulegol	0.005 / 0.016	N/A	ND	ND
Camphor	0.006 / 0.019	N/A	ND	ND
Isoborneol	0.004 / 0.012	N/A	ND	ND
Borneol	0.005 / 0.016	N/A	ND	ND
Menthol	0.008 / 0.025	N/A	ND	ND
Terpineol	0.016 / 0.055	N/A	ND	ND
Nerol	0.003 / 0.011	N/A	ND	ND
Citronellol	0.003 / 0.010	N/A	ND	ND
R-(+)-Pulegone	0.003 / 0.011	N/A	ND	ND
Geraniol	0.002 / 0.007	N/A	ND	ND
Geranyl Acetate	0.004 / 0.014	N/A	ND	ND
α Cedrene	0.005 / 0.016	N/A	ND	ND
β Caryophyllene	0.004 / 0.012	N/A	ND	ND
trans-β-Farnesene	0.008 / 0.025	N/A	ND	ND
α Humulene	0.009 / 0.029	N/A	ND	ND
Valencene	0.009 / 0.030	N/A	ND	ND
Nerolidol	0.009 / 0.028	N/A	ND	ND
Caryophyllene Oxide	0.010 / 0.033	N/A	ND	ND
Guaiol	0.009 / 0.030	N/A	ND	ND
Cedrol	0.008 / 0.027	N/A	ND	ND
α Bisabolol	0.008 / 0.026	N/A	ND	ND



TOTAL TERPENOIDS

0.217 mg/g

0.0217%





CERTIFICATE OF ANALYSIS

DATE ISSUED 31/07/2023

Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Exclusions' see last page

Exclusions² see last page

PESTICIDE TEST RESULTS - 12/08/2023 **⊘** PASS

Acephate 0.02 / 0.07 5 N/A ND F Acequinocyl 0.02 / 0.07 4 N/A ND F Acetamiprid 0.02 / 0.05 5 N/A ND F Aldicarb 0.03 / 0.08 à LOD N/A ND F Azoxystrobin 0.02 / 0.07 40 N/A ND F Bifentate 0.01 / 0.04 5 N/A ND F Bifenthrin 0.02 / 0.05 0.5 N/A ND F Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 à LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F	ESULT
Acequinocyl 0.02 / 0.07 4 N/A ND P Acetamiprid 0.02 / 0.05 5 N/A ND P Aldicarb 0.03 / 0.08 à LOD N/A ND P Azoxystrobin 0.02 / 0.07 40 N/A ND P Bifentate 0.01 / 0.04 5 N/A ND P Bifenthrin 0.02 / 0.05 0.5 N/A ND P Boscalid 0.03 / 0.09 10 N/A ND P Captan 0.19 / 0.57 5 N/A ND P Carbaryl 0.02 / 0.06 0.5 N/A ND P Carbofuran 0.02 / 0.05 à LOD N/A ND P Chlorantraniliprole 0.04 / 0.12 40 N/A ND P Chloranterapyr* 0.03 / 0.08 à LOD N/A ND P Chlorapyrifos 0.03 / 0.06 à LOD N/A ND P </td <td>PASS</td>	PASS
Acetamiprid 0.02 / 0.05 5 N/A ND F Aldicarb 0.03 / 0.08 ½ LOD N/A ND F Azoxystrobin 0.02 / 0.07 40 N/A ND F Bifenazate 0.01 / 0.04 5 N/A ND F Bifenthrin 0.02 / 0.05 0.5 N/A ND F Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 ½ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlorane* 0.03 / 0.08 ½ LOD N/A ND F Chlorapyrifos 0.03 / 0.08 ½ LOD N/A ND F Chlorapyrifos 0.02 / 0.06 ½ LOD N/A ND F <	PASS
Aldicarb	PASS
Azoxystrobin 0.02 / 0.07 40 N/A ND F Bifenazate 0.01 / 0.04 5 N/A ND F Bifenthrin 0.02 / 0.05 0.5 N/A ND F Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 2 LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 2 LOD N/A ND F Chlorepyrifos 0.03 / 0.08 2 LOD N/A ND F Chlorepyrifos 0.02 / 0.06 2 LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 2 LOD N/A ND F	PASS
Bifenazate 0.01 / 0.04 5 N/A ND F Bifenthrin 0.02 / 0.05 0.5 N/A ND F Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 2 LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 2 LOD N/A ND F Chlorfenapyr* 0.03 / 0.08 2 LOD N/A ND F Chlorpyrifos 0.02 / 0.06 2 LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 2 LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F	PASS
Bifenthrin 0.02 / 0.05 0.5 N/A ND F Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 ≥ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Colofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F	PASS
Boscalid 0.03 / 0.09 10 N/A ND F Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 ≥ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorfenapyr* 0.03 / 0.08 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F	PASS
Captan 0.19 / 0.57 5 N/A ND F Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 ≥ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlordane* 0.03 / 0.10 ≥ LOD N/A ND F Chlordane* 0.03 / 0.10 ≥ LOD N/A ND F Chlordane* 0.03 / 0.10 ≥ LOD N/A ND F Chlordane* 0.03 / 0.00 ≥ LOD N/A ND F Chlordane* 0.03 / 0.00 ≥ LOD N/A ND F Chlordane* 0.03 / 0.00 ≥ LOD N/A ND F Chlordereal 0.03 / 0.00 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F<	PASS
Carbaryl 0.02 / 0.06 0.5 N/A ND F Carbofuran 0.02 / 0.05 ≥ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cygermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F Dizainon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND <	PASS
Carbofuran 0.02 / 0.05 ≥ LOD N/A ND F Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorpayr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.07 ≥ LOD N/A ND F Colfentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A <td< td=""><td>PASS</td></td<>	PASS
Chlorantraniliprole 0.04 / 0.12 40 N/A ND F Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F Diazinon 0.02 / 0.07 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.09 ≥ LOD N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND	PASS
Chlordane* 0.03 / 0.08 ≥ LOD N/A ND F Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND	PASS
Chlorfenapyr* 0.03 / 0.10 ≥ LOD N/A ND F Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 ≥ LOD N/A ND	PASS
Chlorpyrifos 0.02 / 0.06 ≥ LOD N/A ND F Clofentezine 0.03 / 0.09 0.5 N/A ND F Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F	PASS
Clofentezine 0.03 / 0.09 0.5 N/A ND P Coumaphos 0.02 / 0.07 ≥ LOD N/A ND P Cyfluthrin 0.12 / 0.38 1 N/A ND P Cypermethrin 0.11 / 0.32 1 N/A ND P Daminozide 0.02 / 0.07 ≥ LOD N/A ND P DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND P Diazinon 0.02 / 0.05 0.2 N/A ND P Dimethoate 0.03 / 0.08 ≥ LOD N/A ND P Dimethomorph 0.03 / 0.09 20 N/A ND P Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND P Etofenprox 0.02 / 0.06 ≥ LOD N/A ND P Etofenprox 0.02 / 0.06 ≥ LOD N/A ND P Etoxazole 0.02 / 0.06 1.5 N/A ND P	PASS
Coumaphos 0.02 / 0.07 ≥ LOD N/A ND F Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Cyfluthrin 0.12 / 0.38 1 N/A ND F Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Cypermethrin 0.11 / 0.32 1 N/A ND F Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Daminozide 0.02 / 0.07 ≥ LOD N/A ND F DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
DDVP (Dichlorvos) 0.03 / 0.09 ≥ LOD N/A ND F Diazinon 0.02 / 0.05 0.2 N/A ND F Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Diazinon 0.02 / 0.05 0.2 N/A ND P Dimethoate 0.03 / 0.08 ≥ LOD N/A ND P Dimethomorph 0.03 / 0.09 20 N/A ND P Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND P Etofenprox 0.02 / 0.06 ≥ LOD N/A ND P Etoxazole 0.02 / 0.06 1.5 N/A ND P	PASS
Dimethoate 0.03 / 0.08 ≥ LOD N/A ND F Dimethomorph 0.03 / 0.09 20 N/A ND F Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Dimethomorph 0.03 / 0.09 20 N/A ND P Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND P Etofenprox 0.02 / 0.06 ≥ LOD N/A ND P Etoxazole 0.02 / 0.06 1.5 N/A ND P	PASS
Ethoprop(hos) 0.03 / 0.10 ≥ LOD N/A ND F Etofenprox 0.02 / 0.06 ≥ LOD N/A ND F Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
Etofenprox 0.02 / 0.06 ≥ LOD N/A ND P Etoxazole 0.02 / 0.06 1.5 N/A ND P	PASS
Etoxazole 0.02 / 0.06 1.5 N/A ND F	PASS
	PASS
	PASS
Fenhexamid 0.03 / 0.09 10 N/A ND P	PASS
Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND F	PASS
Fenpyroximate 0.02 / 0.06 2 N/A ND F	PASS
Fipronil 0.03 / 0.08 ≥ LOD N/A ND F	PASS
Flonicamid 0.03 / 0.10 2 N/A ND F	PASS
Fludioxonil 0.03 / 0.10 30 N/A ND F	PASS
Hexythiazox 0.02 / 0.07 2 N/A ND F	PASS
Imazalil	PASS
Imidacloprid 0.04 / 0.11 3 N/A ND F	PASS
Kresoxim-methyl 0.02 / 0.07 1 N/A ND P	PASS
Malathion 0.03 / 0.09 5 N/A ND F	PASS
Metalaxyl 0.02 / 0.07 15 N/A ND F	PASS
Methiocarb 0.02 / 0.07 ≥ LOD N/A ND F	PASS









CERTIFICATE OF ANALYSIS

DATE ISSUED 31/07/2023

Pesticide Analysis Continued

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Methomyl	0.03 / 0.10	0.1	N/A	ND	PASS
Methyl parathion	0.03 / 0.10	≥ LOD	N/A	ND	PASS
Mevinphos	0.03 / 0.09	≥ LOD	N/A	ND	PASS
Myclobutanil	0.03 / 0.09	9	N/A	ND	PASS
Naled	0.02 / 0.07	0.5	N/A	ND	PASS
Oxamyl	0.04 / 0.11	0.2	N/A	ND	PASS
Paclobutrazol	0.02 / 0.05	≥ LOD	N/A	ND	PASS
Pentachloronitrobenzene*	0.03 / 0.09	0.2	N/A	ND	PASS
Permethrin	0.04 / 0.12	20	N/A	ND	PASS
Phosmet	0.03 / 0.10	0.2	N/A	ND	PASS
Piperonylbutoxide	0.02 / 0.07	8	N/A	ND	PASS
Prallethrin	0.03 / 0.08	0.4	N/A	ND	PASS
Propiconazole	0.02 / 0.07	20	N/A	ND	PASS
Propoxur	0.03 / 0.09	≥ LOD	N/A	ND	PASS
Pyrethrins	0.04 / 0.12	1	N/A	ND	PASS
Pyridaben	0.02 / 0.07	3	N/A	ND	PASS
Spinetoram	0.02 / 0.07	3	N/A	ND	PASS
Spinosad	0.02 / 0.07	3	N/A	ND	PASS
Spiromesifen	0.02 / 0.05	12	N/A	ND	PASS
Spirotetramat	0.02 / 0.06	13	N/A	ND	PASS
Spiroxamine	0.03 / 0.08	≥ LOD	N/A	ND	PASS
Tebuconazole	0.02 / 0.07	2	N/A	ND	PASS
Thiacloprid	0.03 / 0.10	≥ LOD	N/A	ND	PASS
Thiamethoxam	0.03 / 0.10	4.5	N/A	ND	PASS
Trifloxystrobin	0.03 / 0.08	30	N/A	ND	PASS

Mycotoxin Analysis

MYCOTOXIN TEST RESULTS - 12/08/2023 **⊘** PASS

PESTICIDE TEST RESULTS - 12/08/2023 continued **⊘**PASS

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Exclusions³ see last page

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (μg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (μg/kg)	RESULT
Aflatoxin B1	2.0 / 6.0		N/A	ND	
Aflatoxin B2	1.8 / 5.6		N/A	ND	
Aflatoxin G1	1.0 / 3.1		N/A	ND	
Aflatoxin G2	1.2 / 3.5		N/A	ND	
Total Aflatoxin		20		ND	PASS
Ochratoxin A	6.3 / 19.2	20	N/A	ND	PASS









CERTIFICATE OF ANALYSIS

DATE ISSUED 31/07/2023

Residual Solvents Analysis

RESIDUAL SOLVENTS TEST RESULTS - 12/08/2023 **⊘ PASS**

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Exclusions⁴ see last page

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Propane	10 / 20	5000	N/A	ND	PASS
Butane	10 / 50	5000	N/A	ND	PASS
Pentane	20 / 50	5000	N/A	ND	PASS
Hexane	2 / 5	290	N/A	ND	PASS
Heptane	20 / 60	5000	N/A	ND	PASS
Benzene	0.03 / 0.09	1	N/A	ND	PASS
Toluene	7 / 21	890	N/A	ND	PASS
Total Xylenes	50 / 160	2170	N/A	ND	PASS
Methanol	50 / 200	3000	N/A	ND	PASS
Ethanol	20 / 50	5000	N/A	<loq< th=""><th>PASS</th></loq<>	PASS
Isopropyl Alcohol	10 / 40	5000	N/A	ND	PASS
Acetone	20 / 50	5000	N/A	ND	PASS
Ethyl ether	20 / 50	5000	N/A	ND	PASS
Ethylene Oxide	0.3 / 0.8	1	N/A	ND	PASS
Ethyl acetate	20 / 60	5000	N/A	ND	PASS
Chloroform	0.1 / 0.2	1	N/A	ND	PASS
Methylene chloride	0.3 / 0.9	1	N/A	ND	PASS
Trichloroethylene	0.1 / 0.3	1	N/A	ND	PASS
1,2-Dichloroethane	0.05 / 0.1	1	N/A	ND	PASS
Acetonitrile	2 / 7	410	N/A	ND	PASS

Heavy Metals Analysis

HEAVY METALS TEST RESULTS - 12/08/2023 **⊘PASS**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

COMPOUND	LOD/LOQ (μg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Arsenic	0.02 / 0.1	0.42	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.27	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	0.4	N/A	ND	PASS

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

MICROBIOLOGY TEST RESULTS (PCR) - 12/08/2023 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Shiga toxin-producing Escherichia coli	Not Detected in 1g	ND	PASS
Salmonella spp.	Not Detected in 1g	ND	PASS
Listeria monocytogenes	Not Detected in 1g	ND	PASS









CERTIFICATE OF ANALYSIS

DATE ISSUED 31/07/2023

Microbiology Analysis Continued

PCR AND PLATING

Analysis conducted by 3M[™] Petrifilm[™] and plate counts of microbiological contaminants.

MICROBIOLOGY TEST RESULTS (PLATING) - 12/08/2023 PASS

COMPOUND	ACTION LIMIT (cfu/g)	RESULT (cfu/g)	RESULT
Total Aerobic Bacteria	100	ND	PASS
Total Yeast and Mold	10	ND	PASS

Foreign Material Analysis

Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

FOREIGN MATERIAL TEST RESULTS - 12/08/2023 PASS

COMPOUND	ACTION LIMIT	RESULT
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	PASS
Total Sample Area Covered by Mold	>25%	PASS
Total Sample Area Covered by an Imbedded Foreign Material	>25%	PASS
Insect Fragment Count	> 1 per 3 grams	PASS
Hair Count	> 1 per 3 grams	PASS
Mammalian Excreta Count	> 1 per 3 grams	PASS

Water Activity Analysis

WATER ACTIVITY TEST RESULTS - 12/08/2023 PASS

COMPOUND	ACTION LIMIT (Aw)	MEASUREMENT UNCERTAINTY (Aw)	RESULT (Aw)	RESULT
Water Activity			0.7026	PASS
	0.86	+ 0.03422		

NOTES

CoA amended Update: Order Details- Unit mass

All tests and product manufacturing are manufactured and tested in accordance with GMP.





